

VIM-PLUGIN
perl-support.vim
VERSION 3.9

HOT KEYS

Key mappings for Vim and gVim.
 Plugin: <http://vim.sourceforge.net>
 Fritz Mehner (mehner@fh-swf.de)

<i>Load / Unload Perl Support</i>		
\lps	load menues	(n)
\ups	unload menues	(n)

<i>Comments</i>		
\cl	end-of-line comment	(n, v, i)
\cj	adjust end-of-line comments	(n, v, i)
\cs	set end-of-line comment col.	(n)
\cfr	frame comment	(n, i)
\cfu	function description	(n, i)
\cm	module description	(n, i)
\ch	file header (.pl)	(n)
\ce	file header (.pm)	(n)
\ca	file header (.t)	(n)
\ckb	keyword comm. BUG	(n, i)
\ckt	keyword comm. TODO	(n, i)
\ckr	keyword comm. TRICKY	(n, i)
\ckw	keyword comm. WARNING	(n, i)
\cko	keyword comm. WORKAROUND	(n, i)
\ckn	keyword comm. new keyword	(n, i)
\cc	code ↔ comment	(n, v)
\cb	code block → comment	(n, v)
\cn	uncomment code block	(n)
\cd	date	(n, i)
\ct	date & time	(n, i)
\cv	vim modeline	(n, i)

<i>Statements</i>		
\sd	do { } while	(n, v, i)
\sf	for { }	(n, v, i)
\sfe	foreach { }	(n, v, i)
\sei	elsif { }	(n, v, i)
\si	if { }	(n, v, i)
\sie	if { } else { }	(n, v, i)
\su	unless { }	(n, v, i)
\sue	unless { } else { }	(n, v, i)
\st	until { }	(n, v, i)
\sw	while { }	(n, v, i)
\s{	{ }	(n, v, i)

\nr	read code snippet	(n)
\nw	write code snippet	(n, v)
\nw	edit code snippet	(n)

<i>Regular Expressions</i>		
\xr	pick up Regex	(n, v)
\xs	pick up string	(n, v)
\xf	pick up flag(s)	(n, v)
\xm	match	(n)
\xe	explain Regex	(n, v)

(i) insert mode, (n) normal mode, (v) visual mode

<i>Idioms</i>		
\\$	my \$;	(n, i)
\\$=	my \$ = ;	(n, i)
\\$\$	my (\$, \$);	(n, i)
\@	my @;	(n, i)
\@=	my @ = (, ,);	(n, i)
\%	my %;	(n, i)
\%=	my % = (=>, =>,);	(n, i)
\ir	my \$rgx_ = q//;	(n, i)
\im	\$ =~ m//xm	(n, i)
\is	\$ =~ s///xm	(n, i)
\it	\$ =~ tr///xm	(n, i)
\isu	subroutine	(n, v, i)
\ip	print "... \n";	(n, i)
\ii	open input file	(n, v, i)
\io	open output file	(n, v, i)
\ipi	open pipe	(n, v, i)

<i>POSIX Character Classes</i>		
\pa	[:alnum:]	(n, i)
\ph	[:alpha:]	(n, i)
\pi	[:ascii:]	(n, i)
\pb	[:blank:]	(n, i)
\pc	[:cntrl:]	(n, i)
\pd	[:digit:]	(n, i)
\pg	[:graph:]	(n, i)
\pl	[:lower:]	(n, i)
\pp	[:print:]	(n, i)
\pn	[:punct:]	(n, i)
\ps	[:space:]	(n, i)
\pu	[:upper:]	(n, i)
\pw	[:word:]	(n, i)
\px	[:xdigit:]	(n, i)

<i>Run</i>		
\rr	update file, run script	(n)
\rs	update file, check syntax	(n)
\ra	set command line arguments	(n)
\rw	set Perl cmd. line switches	(n)
\rd	start debugger	(n)
\re	make script executable	(n)
\rp	read perldoc, same as \h	(n)
\ri	show installed Perl modules	(n)
\rg	generate Perl module list	(n)
\ry	run perltidy	(n, v)
\rm	run SmallProf	(n)
\rc	run perlcritic	(n)
\rt	save buffer with timestamp	(n)
\rh	hardcopy buffer	(n, v)
\rk	settings and hotkeys	(n)
\rx	set xterm size	(n, GUI only)
\ro	change output destination	(n)

\h	read perldoc for word under cursor	(n)
----	------------------------------------	-----

The following Ex commands set parameters for perlcritic (version 1.01+):

```
CriticSeverity 5      4      3      2      1
                gentle stern harsh cruel brutal
CriticVerbosity 1...11
CriticOptions   option(s), see perlcritic(1)
```